

Teys Australia Jindalee PO Box 352 Temora NSW 2666

Teys Australia Southern Property Pty Ltd (Teys Australia Jindalee)

Monitoring Data Summary

Environmental Protection Licence 3584

Executive Summary

Teys Australia Jindalee is the holder of Environmental Protection Licence (EPL) 3584. This Licence is administered by the *NSW Environmental Protection Authority* (*EPA*), and includes conditions relevant to the site's operation, including environmental monitoring, as is outlined in this report. All environmental monitoring results required under EPL 3584 are submitted to the *EPA* each year in a formal annual return, and interpreted, and submitted in an Annual Environmental Management Review (AEMR).

All monitoring specified under EPL 3584 was completed in the 2015/2016 annual reporting period, which covered the period between 25 February 2015 and 24 February 2016. Monitoring has commenced for the 2015/2016 reporting period.

Nil instances of non – compliance with any of the conditions in EPL 3584 occurred during the reporting period.

Further information is available by contacting the Teys Corporate Environmental team on (07) 3287 2188.

A full copy of EPL 3584 can be obtained on the EPA website from the following URL using the search function for licence number "3584":

http://www.environment.nsw.gov.au/prpoeoapp/

EPA Monitoring point 1: Summary of results for soil monitoring in South Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
рН	рН	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA

The monitoring data in the table above is taken from monitoring point 1 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the South irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 2: Summary of results for soil monitoring in West Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	6	100	38.67	28.03.18
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.9	14.1	11.2	28.03.18
Conductivity	(dS/m)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.16	0.35	0.27	28.03.18
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.1	2.4	1.03	28.03.18
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	5.5	10	7.23	28.03.18
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.26	2.8	1.33	28.03.18
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.96	2.3	1.52	28.03.18
Nitrate	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	4	19	10.67	28.03.18
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	500	1500	866.67	28.03.18
рН	pН	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.5	9.2	8.47	28.03.18
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	40	59	51.33	28.03.18
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	2000	14000	6000	28.03.18

The monitoring data in the table above is taken from monitoring point 2 in EPL 3584. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the West irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 3: Summary of results for soil monitoring in North/West Shed paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1 1		CCI .	11 1 1	1 C

The monitoring data in the table above is taken from monitoring point 3 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North/West shed paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 11: Summary of results for soil monitoring in Old East Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1.		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 11 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Old East irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 12: Summary of results for soil monitoring in Front paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1.		CCI	11 1	.1 C

The monitoring data in the table above is taken from monitoring point 12 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Front paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring point 13: Summary of results for soil monitoring in PBO paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	5	10	6.67	28.03.18
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	20.3	47	35.27	28.03.18
Conductivity	(dS/m)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.08	0.75	0.4	28.03.18
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.1	20	15.03	28.03.18
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	11	19	15.33	28.03.18
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.27	0.62	0.41	28.03.18
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	1.5	7.8	4.4	28.03.18
Nitrate	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	1	3	2	28.03.18
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	500	800	600	28.03.18
рН	pH	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.5	9.3	8.7	28.03.18
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	85	130	108.33	28.03.18
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	2000	10000	5300	28.03.18

The monitoring data in the table above is taken from monitoring point 13 in EPL 3584. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the PBO paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 14: Summary of results for soil monitoring in South East paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Available Phosphorus	(mg/kg)	Samples	0	***			~~.		~~.
Cation Exchange		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(cl/kg)	Samples	0						
	(10/)	Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Samples	0	27.4	27.4	NY 4	27.4	27.4	NY 4
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Calcium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Magnesium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Potassium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Sodium	(cl/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
pН	pН	Samples	0						
Phosphorus Sorption		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0						

The monitoring data in the table above is taken from monitoring point 14 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the South East paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA monitoring Point 15: Summary of results for soil monitoring in East Lot paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 15 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the East Lot paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 16: Summary of results for soil monitoring in North Lot paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 16 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North Lot paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 17: Summary of results for soil monitoring in North Stock paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	31	650	242.67	28.03.18
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.3	20.3	12.37	28.03.18
Conductivity	(dS/m)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.2	1.17	0.55	28.03.18
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.6	9.7	3.83	28.03.18
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	4.2	6.5	5.3	28.03.18
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.41	4	1.71	28.03.18
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	1.1	2	1.47	28.03.18
Nitrate	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	18	270	110.67	28.03.18
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	600	3800	1800	28.03.18
рН	pH	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7	8	7.5	28.03.18
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	53	180	96.33	28.03.18
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	3000	27000	11300	28.03.18
	.1 . 1.1 . 1			2504 551	•, •		. 1 12 1 1 .		.1 11

The monitoring data in the table above is taken from monitoring point 17 in EPL 3584. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North Stock paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 18: Summary of results for soil monitoring in Reid's Offsite Irrigation

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 18 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Reid's Offsite Irrigation. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring point 4: Summary of results for groundwater bore P1 (bore was dry at time of sample collection therefore no sample was obtained).

81		Ç	No of times	·	•		J	•	·
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				01.02.18	NA	NA	NA	NA	28.03.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
_		•		01.02.18	NA	NA	NA	NA	28.03.18
Conductivity	(µS/cm)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Nitrate	(mg/L)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
pН	pН	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Orthophosphate	(mg/L)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 5: Summary of results for groundwater bore P2 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				01.02.18	NA	NA	NA	NA	28.03.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Conductivity	(µS/cm)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Nitrate	(mg/L)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
pН	pН	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Orthophosphate	(mg/L)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 6: Summary of results for groundwater bore P3 (bore was dry at time of sample collection therefore no sample was obtained).

81		Ç	No of times	·	,		J	•	ŕ
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				01.02.18	NA	NA	NA	NA	28.03.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
_		•		01.02.18	NA	NA	NA	NA	28.03.18
Conductivity	(µS/cm)	6 Monthly	0						
·				01.02.18	NA	NA	NA	NA	28.03.18
Nitrate	(mg/L)	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
рН	pН	6 Monthly	0						
				01.02.18	NA	NA	NA	NA	28.03.18
Orthophosphate	(mg/L)	6 Monthly	0						
	-			01.02.18	NA	NA	NA	NA	28.03.18
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 7: Summary of results for groundwater bore P4 (bore was dry at time of sample collection therefore only one sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				01.02.18	21.02.18	46	46	46	28.03.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	1						
	-			01.02.18	21.02.18	1840	1840	1840	28.03.18
Conductivity	(µS/cm)	6 Monthly	1						
				01.02.18	21.02.18	46.4	46.4	46.4	28.03.18
Nitrate	(mg/L)	6 Monthly	1						
				01.02.18	21.02.18	8.2	8.2	8.2	28.03.18
pН	pН	6 Monthly	1						
				01.02.18	21.02.18	0.11	0.11	0.11	28.03.18
Orthophosphate	(mg/L)	6 Monthly	1						
				01.02.18	21.02.18	1.1	1.1	1.1	28.03.18
Standing Water level	(m)	6 Monthly	1						

Ground water monitoring for EPA monitoring points 4, 5, 6 and 7 is completed to assess for any impacts to groundwater from irrigation and manure application processes on site. Along with the soil monitoring data, it is used to confirm that there are no cumulative impacts being caused by site processes.

Surface water monitoring for EPA monitoring points 8, 9 and 10 is completed to assess the quality of the water used for irrigation on site. Along with the soil monitoring data, it is used to confirm that there are no cumulative impacts being caused by site processes.

EPA Monitoring point 8: Summary of results for Holding Pond 1

81	Units of	Monitoring frequency	No of times measured during	Date of	Date data	Result	Date
Pollutant	measure	required by licence	year	Sampling	obtained	(units)	Published
				13.02.18	23.02.17	4.2	28.03.18
Ammonia	(mg/L)	Annual	1				
				13.02.18	23.02.17	5670	28.03.18
Conductivity	(µS/cm)	Annual	1				
				13.02.18	23.02.17	72	28.03.18
Nitrogen (total)	(mg/L)	Annual	1				
				13.02.18	23.02.17	8.5	28.03.18
рН	pН	Annual	1				
				13.02.18	23.02.17	18.8	28.03.18
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 9: Summary of results for Holding Pond 2

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				13.02.18	23.02.17	21.1	28.03.18
Ammonia	(mg/L)	Annual	1				
	_			13.02.18	23.02.17	7720	28.03.18
Conductivity	(µS/cm)	Annual	1				
				13.02.18	23.02.17	126	28.03.18
Nitrogen (total)	(mg/L)	Annual	1				
				13.02.18	23.02.17	8.3	28.03.18
рН	pН	Annual	1				
				13.02.18	23.02.17	51	28.03.18
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 10: Summary of results for Tail water (pond was dry at time of sample collection therefore no sample was obtained).

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				13.02.18	23.02.17	2.0	28.03.18
Ammonia	(mg/L)	Annual	1				
				13.02.18	23.02.17	18900	28.03.18
Conductivity	(µS/cm)	Annual	1				
				13.02.18	23.02.17	276	28.03.18
Nitrogen (total)	(mg/L)	Annual	1				
				13.02.18	23.02.17	8.6	28.03.18
pН	pН	Annual	1				
				13.02.18	23.02.17	65.1	28.03.18
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 1: Summary of manure and effluent applied to South Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Do	ate of Sampling	Value
		104 0 0 0	NA	NA	
3.6 11 1	(minimum	. 1			
Manure applied	Tonnes)	Annual			
	(maximum		NA	NA	
Manure applied	Tonnes)	Annual			
			NA	NA	
Manure applied	(average Tonnes)	Annual			
Number of days			NA	NA	
manure applied	Days	Annual			
			NA	NA	
Effluent applied	(minimum ML)	Annual			
			NA	NA	
Effluent applied	(maximum ML)	Annual			
•	,		NA	NA	
Effluent applied	(average ML)	Annual			
Number of days			NA	NA	
effluent applied	Days	Annual			

Monitoring of the volumes and number of days of manure and effluent applied to different paddocks on site, is completed to track the volume of nutrients applied to the land to ensure that activities are completed in compliance with the nutrient and water balance prepared for the site. This is the case for all paddocks on site.

EPA Monitoring Point 2: Summary of manure and effluent applied to West Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	322.56
Effluent applied	(minimum ML)	Annual		
			NA	368.64
Effluent applied	(maximum ML)	Annual		
			NA	345.6
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	2
applied	Days	Annual		

EPA Monitoring point 3: Summary of manure and effluent applied to North/West Shed Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 11: Summary of manure and effluent applied to Old East Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	J T	· ·	NA	NA
Manure applied	(minimum Tonnes)	Annual		
**			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 12: Summary of manure and effluent applied to Front Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 13: Summary of manure and effluent applied to PBO Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	•		NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	46.08
Effluent applied	(minimum ML)	Annual		
			NA	691.2
Effluent applied	(maximum ML)	Annual		
			NA	368.64
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	4
applied	Days	Annual		

EPA Monitoring point 14: Summary of manure and effluent applied to South East Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	V		NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring Point 15: Summary of manure and effluent applied to East Lot Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	•		NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring Point 16: Summary of manure and effluent applied to North Lot Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value	
			NA	NA	
Manure applied	(minimum Tonnes)	Annual			
			NA	NA	
Manure applied	(maximum Tonnes)	Annual			
			NA	NA	
Manure applied	(average Tonnes)	Annual			
Number of days manure			NA	NA	
applied	Days	Annual			
			NA	NA	
Effluent applied	(minimum ML)	Annual			
			NA	NA	
Effluent applied	(maximum ML)	Annual			
			NA	NA	
Effluent applied	(average ML)	Annual			
Number of days effluent			NA	NA	
applied	Days	Annual			

EPA Monitoring point 17: Summary of manure and effluent applied to North Stock Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	Civils of incomme	required by therites	NA NA	405.6
Manure applied	(minimum Tonnes)	Annual		
**			NA	405.6
Manure applied	(maximum Tonnes)	Annual		
			NA	405.6
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	5
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		


EPA Monitoring point 18: Summary of manure and effluent applied to Reid's Offsite Irrigation

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

Locations of all monitoring points are shown in the *Figure 1* below.

PLAN OF JINDALEE FEEDLOT SPRINGDALE NSW

REDUCTION RATIO 1.20000



Correction Log

This section is included to correct any incorrect data which may have been published in good faith.

Teys Australia Southern Property Pty Ltd T/A Teys Australia Jindalee EPL number 3584 Pollutant:

Table 4: Correction log

Sample date and time	Original data	Corrected data	Date corrected	Date originally published	Reason

Note: No corrections required to date.

Modification Log

This section is included to detail any changes to the template due to changes to the licence

Teys Australia Southern Property Pty Ltd T/A Teys Australia Jindalee EPL number 3584

Table 5: Modification Log

Date of Modification	Modification Made	Modification Made By	Modification Approved By
27 November 2012	Update Monitoring Table to include Point 18 "Reids Offsite Irrigation" for soil monitoring and effluent and manure application	Wendy Denning	Charles Hollingworth
27 November 2012	Update figure 1 "Plan of Jindalee Feedlot" to include Monitoring Point 18 "Reids Offsite Irrigation"	Wendy Denning	Charles Hollingworth
15 March 2013	Update Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 to include 2 sub samples as frequency, and include the minimum, maximum and mean value to reflect license 3584	Wendy Denning	Shane Bullock
15 March 2013	Update Frequency Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 from 'annual' to 'annual X 2 sub samples'	Wendy Denning	Shane Bullock
15 March 2013	Added to the comment below Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 'The monitoring point consists of top soil and sub soil.'	Wendy Denning	Shane Bullock
29 June 2016	Added the comment below Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock

29 June 2016	Added the comment above Monitoring Tables 4, 5, 6, 7, 8 & 10 (bore was dry at time of sample collection therefore no sample was obtained).'	Jayne Newcombe	Shane Bullock
29 June 2016	Added the comment below Monitoring Table 1, page 18 'During this period no manure or effluent was applied to any paddock, therefore no testing is required.'	Jayne Newcombe	Shane Bullock
29 June 2016	Amended the comment below Monitoring Table Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 from 'has been taken' to 'is taken'.	Jayne Newcombe	Shane Bullock
07 March 2017	Amended table for EPA points 8, 9 & 10 to reflect one result.	Jayne Newcombe	Shane Bullock
07 March 2017	Amended table for EPA points 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18.	Jayne Newcombe	Shane Bullock
26 February 2018	Added the comment below Monitoring Table 16, page 10 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock
26 February 2018	Removed the comment below Monitoring Table 17, page 11 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock



Teys Australia Jindalee PO Box 352 Temora NSW 2666

Teys Australia Southern Property Pty Ltd (Teys Australia Jindalee)

Monitoring Data Summary

Environmental Protection Licence 3584

Executive Summary

Teys Australia Jindalee is the holder of Environmental Protection Licence (EPL) 3584. This Licence is administered by the *NSW Environmental Protection Authority* (*EPA*), and includes conditions relevant to the site's operation, including environmental monitoring, as is outlined in this report. All environmental monitoring results required under EPL 3584 are submitted to the *EPA* each year in a formal annual return, and interpreted, and submitted in an Annual Environmental Management Review (AEMR).

All monitoring specified under EPL 3584 was completed in the 2017/2018 annual reporting period, which covered the period between 25 February 2017 and 24 February 2018. Monitoring has commenced for the 2018/2019 reporting period.

Nil instances of non – compliance with any of the conditions in EPL 3584 occurred during the reporting period.

Further information is available by contacting the Teys Corporate Environmental team on (07) 3287 2188.

A full copy of EPL 3584 can be obtained on the EPA website from the following URL using the search function for licence number "3584":

http://www.environment.nsw.gov.au/prpoeoapp/

EPA Monitoring point 1: Summary of results for soil monitoring in South Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
рН	рН	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA

The monitoring data in the table above is taken from monitoring point 1 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the South irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 2: Summary of results for soil monitoring in West Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	6	100	38.67	28.03.18
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.9	14.1	11.2	28.03.18
Conductivity	(dS/m)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.16	0.35	0.27	28.03.18
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.1	2.4	1.03	28.03.18
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	5.5	10	7.23	28.03.18
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.26	2.8	1.33	28.03.18
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.96	2.3	1.52	28.03.18
Nitrate	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	4	19	10.67	28.03.18
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	500	1500	866.67	28.03.18
рН	pН	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.5	9.2	8.47	28.03.18
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	40	59	51.33	28.03.18
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	2000	14000	6000	28.03.18

The monitoring data in the table above is taken from monitoring point 2 in EPL 3584. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the West irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 3: Summary of results for soil monitoring in North/West Shed paddock

	Units of	Monitoring frequency	No of times measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Phosphorus Sorption	pН	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0						

The monitoring data in the table above is taken from monitoring point 3 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North/West shed paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 11: Summary of results for soil monitoring in Old East Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1.		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 11 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Old East irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 12: Summary of results for soil monitoring in Front paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1.		CCI	11 1	.1 C

The monitoring data in the table above is taken from monitoring point 12 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Front paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring point 13: Summary of results for soil monitoring in PBO paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	5	10	6.67	28.03.18
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	20.3	47	35.27	28.03.18
Conductivity	(dS/m)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.08	0.75	0.4	28.03.18
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.1	20	15.03	28.03.18
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	11	19	15.33	28.03.18
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.27	0.62	0.41	28.03.18
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	1.5	7.8	4.4	28.03.18
Nitrate	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	1	3	2	28.03.18
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	500	800	600	28.03.18
рН	pH	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.5	9.3	8.7	28.03.18
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	85	130	108.33	28.03.18
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	2000	10000	5300	28.03.18

The monitoring data in the table above is taken from monitoring point 13 in EPL 3584. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the PBO paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 14: Summary of results for soil monitoring in South East paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Available Phosphorus	(mg/kg)	Samples	0	***			~~.		~~.
Cation Exchange		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(cl/kg)	Samples	0						
	(10/)	Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Samples	0	27.4	27.4	NY 4	27.4	27.4	NY 4
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Calcium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Magnesium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Potassium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Sodium	(cl/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
pН	pН	Samples	0						
Phosphorus Sorption		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0						

The monitoring data in the table above is taken from monitoring point 14 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the South East paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA monitoring Point 15: Summary of results for soil monitoring in East Lot paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 15 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the East Lot paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 16: Summary of results for soil monitoring in North Lot paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 16 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North Lot paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 17: Summary of results for soil monitoring in North Stock paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	31	650	242.67	28.03.18
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7.3	20.3	12.37	28.03.18
Conductivity	(dS/m)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.2	1.17	0.55	28.03.18
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.6	9.7	3.83	28.03.18
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	4.2	6.5	5.3	28.03.18
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	0.41	4	1.71	28.03.18
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	1.1	2	1.47	28.03.18
Nitrate	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	18	270	110.67	28.03.18
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	600	3800	1800	28.03.18
рН	pH	Annual X 3 Sub Samples	1	31.01.18	13.02.18	7	8	7.5	28.03.18
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	53	180	96.33	28.03.18
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	1	31.01.18	13.02.18	3000	27000	11300	28.03.18
	.1 . 1.1 . 1			2504 551	•, •		. 1 12 1 1 .		.1 11

The monitoring data in the table above is taken from monitoring point 17 in EPL 3584. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North Stock paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 18: Summary of results for soil monitoring in Reid's Offsite Irrigation

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 18 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Reid's Offsite Irrigation. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring point 4: Summary of results for groundwater bore P1 (bore was dry at time of sample collection therefore no sample was obtained).

81		Ç	No of times	·	•		J	•	ŕ
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
_		•		31.07.18	NA	NA	NA	NA	21.08.18
Conductivity	$(\mu S/cm)$	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrate	(mg/L)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
pН	pН	6 Monthly	0						
	_			31.07.18	NA	NA	NA	NA	21.08.18
Orthophosphate	(mg/L)	6 Monthly	0						
	-	_		31.07.18	NA	NA	NA	NA	21.08.18
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 5: Summary of results for groundwater bore P2 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
-				31.07.18	NA	NA	NA	NA	21.08.18
Conductivity	(µS/cm)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrate	(mg/L)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
pН	pН	6 Monthly	0						
	-			31.07.18	NA	NA	NA	NA	21.08.18
Orthophosphate	(mg/L)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 6: Summary of results for groundwater bore P3 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times	·	· ·		,		
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
Conductivity	(µS/cm)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrate	(mg/L)	6 Monthly	0						
				31.07.18	NA	NA	NA	NA	21.08.18
pН	pН	6 Monthly	0						
		·		31.07.18	NA	NA	NA	NA	21.08.18
Orthophosphate	(mg/L)	6 Monthly	0						
	_	•		31.07.18	NA	NA	NA	NA	21.08.18
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 7: Summary of results for groundwater bore P4 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrogen (Ammonia)	(mg/L)	6 Monthly	1						
				31.07.18	NA	NA	NA	NA	21.08.18
Conductivity	$(\mu S/cm)$	6 Monthly	1						
				31.07.18	NA	NA	NA	NA	21.08.18
Nitrate	(mg/L)	6 Monthly	1						
				31.07.18	NA	NA	NA	NA	21.08.18
рН	pН	6 Monthly	1						
				31.07.18	NA	NA	NA	NA	21.08.18
Orthophosphate	(mg/L)	6 Monthly	1						
				31.07.18	NA	NA	NA	NA	21.08.18
Standing Water level	(m)	6 Monthly	1						

Ground water monitoring for EPA monitoring points 4, 5, 6 and 7 is completed to assess for any impacts to groundwater from irrigation and manure application processes on site. Along with the soil monitoring data, it is used to confirm that there are no cumulative impacts being caused by site processes.

Surface water monitoring for EPA monitoring points 8, 9 and 10 is completed to assess the quality of the water used for irrigation on site. Along with the soil monitoring data, it is used to confirm that there are no cumulative impacts being caused by site processes.

EPA Monitoring point 8: Summary of results for Holding Pond 1

		·	No of times				
	Units of	Monitoring frequency	measured during	Date of	Date data	Result	Date
Pollutant	measure	required by licence	year	Sampling	obtained	(units)	Published
				13.02.18	23.02.17	4.2	28.03.18
Ammonia	(mg/L)	Annual	1				
				13.02.18	23.02.17	5670	28.03.18
Conductivity	(µS/cm)	Annual	1				
				13.02.18	23.02.17	72	28.03.18
Nitrogen (total)	(mg/L)	Annual	1				
				13.02.18	23.02.17	8.5	28.03.18
рН	рН	Annual	1				
				13.02.18	23.02.17	18.8	28.03.18
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 9: Summary of results for Holding Pond 2

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				13.02.18	23.02.17	21.1	28.03.18
Ammonia	(mg/L)	Annual	1				
	_			13.02.18	23.02.17	7720	28.03.18
Conductivity	(µS/cm)	Annual	1				
				13.02.18	23.02.17	126	28.03.18
Nitrogen (total)	(mg/L)	Annual	1				
				13.02.18	23.02.17	8.3	28.03.18
рН	pН	Annual	1				
				13.02.18	23.02.17	51	28.03.18
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 10: Summary of results for Tail water (pond was dry at time of sample collection therefore no sample was obtained).

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				13.02.18	23.02.17	2.0	28.03.18
Ammonia	(mg/L)	Annual	1				
				13.02.18	23.02.17	18900	28.03.18
Conductivity	(µS/cm)	Annual	1				
				13.02.18	23.02.17	276	28.03.18
Nitrogen (total)	(mg/L)	Annual	1				
				13.02.18	23.02.17	8.6	28.03.18
pН	pН	Annual	1				
				13.02.18	23.02.17	65.1	28.03.18
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 1: Summary of manure and effluent applied to South Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Do	ate of Sampling	Value
		104 0 0 0	NA	NA	
3.6 11 1	(minimum	. 1			
Manure applied	Tonnes)	Annual			
	(maximum		NA	NA	
Manure applied	Tonnes)	Annual			
			NA	NA	
Manure applied	(average Tonnes)	Annual			
Number of days			NA	NA	
manure applied	Days	Annual			
			NA	NA	
Effluent applied	(minimum ML)	Annual			
			NA	NA	
Effluent applied	(maximum ML)	Annual			
•	,		NA	NA	
Effluent applied	(average ML)	Annual			
Number of days			NA	NA	
effluent applied	Days	Annual			

Monitoring of the volumes and number of days of manure and effluent applied to different paddocks on site, is completed to track the volume of nutrients applied to the land to ensure that activities are completed in compliance with the nutrient and water balance prepared for the site. This is the case for all paddocks on site.

EPA Monitoring Point 2: Summary of manure and effluent applied to West Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	322.56
Effluent applied	(minimum ML)	Annual		
			NA	368.64
Effluent applied	(maximum ML)	Annual		
			NA	345.6
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	2
applied	Days	Annual		

EPA Monitoring point 3: Summary of manure and effluent applied to North/West Shed Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 11: Summary of manure and effluent applied to Old East Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	J T	· ·	NA	NA
Manure applied	(minimum Tonnes)	Annual		
**			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 12: Summary of manure and effluent applied to Front Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 13: Summary of manure and effluent applied to PBO Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	46.08
Effluent applied	(minimum ML)	Annual		
			NA	691.2
Effluent applied	(maximum ML)	Annual		
			NA	368.64
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	4
applied	Days	Annual		

EPA Monitoring point 14: Summary of manure and effluent applied to South East Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring Point 15: Summary of manure and effluent applied to East Lot Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	V	· ·	NA	NA
Manure applied	(minimum Tonnes)	Annual		
**			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring Point 16: Summary of manure and effluent applied to North Lot Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 17: Summary of manure and effluent applied to North Stock Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	January Manager	104	NA	405.6
Manure applied	(minimum Tonnes)	Annual		
••			NA	405.6
Manure applied	(maximum Tonnes)	Annual		
			NA	405.6
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	5
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		


EPA Monitoring point 18: Summary of manure and effluent applied to Reid's Offsite Irrigation

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
		•	NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

Locations of all monitoring points are shown in the *Figure 1* below.

PLAN OF JINDALEE FEEDLOT SPRINGDALE NSW

REDUCTION RATIO 1.20000



Correction Log

This section is included to correct any incorrect data which may have been published in good faith.

Teys Australia Southern Property Pty Ltd T/A Teys Australia Jindalee EPL number 3584 Pollutant:

Table 4: Correction log

Sample date and time	Original data	Corrected data	Date corrected	Date originally published	Reason

Note: No corrections required to date.

Modification Log

This section is included to detail any changes to the template due to changes to the licence

Teys Australia Southern Property Pty Ltd T/A Teys Australia Jindalee EPL number 3584

Table 5: Modification Log

Date of Modification	Modification Made	Modification Made By	Modification Approved By
27 November 2012	Update Monitoring Table to include Point 18 "Reids Offsite Irrigation" for soil monitoring and effluent and manure application	Wendy Denning	Charles Hollingworth
27 November 2012	Update figure 1 "Plan of Jindalee Feedlot" to include Monitoring Point 18 "Reids Offsite Irrigation"	Wendy Denning	Charles Hollingworth
15 March 2013	Update Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 to include 2 sub samples as frequency, and include the minimum, maximum and mean value to reflect license 3584	Wendy Denning	Shane Bullock
15 March 2013	Update Frequency Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 from 'annual' to 'annual X 2 sub samples'	Wendy Denning	Shane Bullock
15 March 2013	Added to the comment below Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 'The monitoring point consists of top soil and sub soil.'	Wendy Denning	Shane Bullock
29 June 2016	Added the comment below Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock

29 June 2016	Added the comment above Monitoring Tables 4, 5, 6, 7, 8 & 10 (bore was dry at time of sample collection therefore no sample was obtained).'	Jayne Newcombe	Shane Bullock
29 June 2016	Added the comment below Monitoring Table 1, page 18 'During this period no manure or effluent was applied to any paddock, therefore no testing is required.'	Jayne Newcombe	Shane Bullock
29 June 2016	Amended the comment below Monitoring Table Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 from 'has been taken' to 'is taken'.	Jayne Newcombe	Shane Bullock
07 March 2017	Amended table for EPA points 8, 9 & 10 to reflect one result.	Jayne Newcombe	Shane Bullock
07 March 2017	Amended table for EPA points 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18.	Jayne Newcombe	Shane Bullock
26 February 2018	Added the comment below Monitoring Table 16, page 10 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock
26 February 2018	Removed the comment below Monitoring Table 17, page 11 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock



Teys Australia Jindalee PO Box 352 Temora NSW 2666

Teys Australia Southern Property Pty Ltd (Teys Australia Jindalee)

Monitoring Data Summary

Environmental Protection Licence 3584

Executive Summary

Teys Australia Jindalee is the holder of Environmental Protection Licence (EPL) 3584. This Licence is administered by the *NSW Environmental Protection Authority* (*EPA*), and includes conditions relevant to the site's operation, including environmental monitoring, as is outlined in this report. All environmental monitoring results required under EPL 3584 are submitted to the *EPA* each year in a formal annual return, and interpreted, and submitted in an Annual Environmental Management Review (AEMR).

All monitoring specified under EPL 3584 was completed in the 2017/2018 annual reporting period, which covered the period between 25 February 2017 and 24 February 2018. Monitoring has commenced for the 2018/2019 reporting period.

Nil instances of non – compliance with any of the conditions in EPL 3584 occurred during the reporting period.

Further information is available by contacting the Teys Corporate Environmental team on (07) 3287 2188.

A full copy of EPL 3584 can be obtained on the EPA website from the following URL using the search function for licence number "3584":

http://www.environment.nsw.gov.au/prpoeoapp/

EPA Monitoring point 1: Summary of results for soil monitoring in South Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
рН	рН	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA

The monitoring data in the table above is taken from monitoring point 1 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the South irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 2: Summary of results for soil monitoring in West Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
		Annual X 3 Sub	<i>y</i>	NA	NA	NA	NA	NA	NA
Available Phosphorus	(mg/kg)	Samples	0						
Cation Exchange		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(cl/kg)	Samples	0						
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Calcium	(cl/kg)	Samples	0						
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable		Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Potassium	(cl/kg)	Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrata	(ma/lra)	Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
pН	pН	Samples	0						
Phosphorus Sorption Capacity	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0						

The monitoring data in the table above is taken from monitoring point 2 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the West irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 3: Summary of results for soil monitoring in North/West Shed paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1 1		CCI .	11 1 1	1 C

The monitoring data in the table above is taken from monitoring point 3 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North/West shed paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 11: Summary of results for soil monitoring in Old East Irrigation paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1.		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 11 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Old East irrigation paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 12: Summary of results for soil monitoring in Front paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1.		CCI	11 1	.1 C

The monitoring data in the table above is taken from monitoring point 12 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Front paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring point 13: Summary of results for soil monitoring in PBO paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
	((1)	Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Available Phosphorus	(mg/kg)	Samples	0	NT A	NY A	NT A	27.4	NT A	NT A
Cation Exchange		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(cl/kg)	Samples	0						
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
, ,	pH	Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
pH Phosphorus Sorption	*	Samples Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples	0	NT A	NT A	NT A	NIA	NTA	NT A
Total Organic Carbon	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA

The monitoring data in the table above is taken from monitoring point 13 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the PBO paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 14: Summary of results for soil monitoring in South East paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Available Phosphorus	(mg/kg)	Samples	0	***			~~.		~~.
Cation Exchange		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(cl/kg)	Samples	0						
	(10/)	Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Samples	0	27.4	27.4	NY 4	27.4	27.4	NY 4
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Calcium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Magnesium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Potassium	(cl/kg)	Samples	0						
Exchangeable		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Sodium	(cl/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
pН	pН	Samples	0						
Phosphorus Sorption		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples	0						
		Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0						

The monitoring data in the table above is taken from monitoring point 14 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the South East paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA monitoring Point 15: Summary of results for soil monitoring in East Lot paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 15 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the East Lot paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 16: Summary of results for soil monitoring in North Lot paddock

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	0		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 16 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North Lot paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60 – 90cm) samples.

EPA Monitoring Point 17: Summary of results for soil monitoring in North Stock paddock

Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(mg/kg)	Samples	0	***			~~.		~~.
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(cl/kg)	Samples	0						
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(dS/m)	Samples	0						
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(cl/kg)	Samples	0						
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(cl/kg)	Samples	0						
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(cl/kg)	Samples	0						
	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
(cl/kg)		0						
· · · · · ·	•		NA	NA	NA	NA	NA	NA
(mg/kg)		0						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	•		NA	NA	NA	NA	NA	NA
(mg/kg)		0						
(6 6/	•	-	NA	NA	NA	NA	NA	NA
Нa		0						
r	*	<u> </u>	NA	NA	NA	NA	NA	NA
(mg/kg)		0						
(•	<u> </u>	NA	NA	NA	NA	NA	NA
(mg/kg)		0						
	measure (mg/kg) (cl/kg) (dS/m) (cl/kg) (cl/kg)	measure Annual X 3 Sub Samples Annual X 3 Sub Samples	Units of measureMonitoring frequency required by licencemeasured during yearAnnual X 3 Sub (mg/kg)Samples0Annual X 3 Sub (cl/kg)Samples0Annual X 3 Sub (dS/m)Samples0Annual X 3 Sub (cl/kg)Samples0Annual X 3 Sub (mg/kg)Samples0Annual X 3 Sub Samples0Annual X 3 Sub Samples0	Units of measureMonitoring frequency required by licencemeasured during yearDate of SamplingAnnual X 3 Sub (mg/kg)Samples0NAAnnual X 3 Sub (cl/kg)Samples0NAAnnual X 3 Sub (dS/m)Samples0NAAnnual X 3 Sub (cl/kg)Samples0NAAnnual X 3 Sub (mg/kg)Samples0NAAnnual X 3 Sub (mg/kg)Samples0NAAnnual X 3 Sub (mg/kg)Samples0NAAnnual X 3 Sub Samples0NAAnnual X 3 Sub Samples0NA	Units of measureMonitoring frequency required by licencemeasured during yearDate of Sampling obtainedAnnual X 3 Sub (mg/kg)Samples0Annual X 3 Sub (cl/kg)Samples0Annual X 3 Sub (cl/kg)NANAManual X 3 Sub (dS/m)NANAManual X 3 Sub (cl/kg)NANAManual X 3 Sub (mg/kg)NANAManual X 3 Sub (mg/kg)NANA	Units of measureMonitoring frequency required by licencemeasured during yearDate of Sampling obtainedDate of Obtained obtainedMinimum ValueAnnual X 3 Sub (mg/kg)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(dS/m)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(cl/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA(mg/kg)Samples0NANANA	Units of measure Monitoring frequency required by licence measured year Date of Sampling obtained value Mainimum Value Maximum Value Image: Line of measure days are produced by licence required by licence value NA NA	Units of measure Monitoring frequency required by licence measured during year Date of Sampling obtained Date data Value Minimum Value Meanual Value Annual X 3 Sub (cl/kg) Samples 0 NA NA

The monitoring data in the table above is taken from monitoring point 17 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the North Stock paddock. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring Point 18: Summary of results for soil monitoring in Reid's Offsite Irrigation

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Minimum Value	Maximum Value	Mean Value	Date Published
Available Phosphorus	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Cation Exchange Capacity	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Conductivity	(dS/m)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Calcium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Magnesium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Potassium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Exchangeable Sodium	(cl/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrate	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Nitrogen (total)	(mg/kg)	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
pH	pH	Annual X 3 Sub Samples	0	NA	NA	NA	NA	NA	NA
Phosphorus Sorption	1	Annual X 3 Sub		NA	NA	NA	NA	NA	NA
Capacity	(mg/kg)	Samples Annual X 3 Sub	0	NA	NA	NA	NA	NA	NA
Total Organic Carbon	(mg/kg)	Samples	<u>0</u>		.1 • •		CCI	1' 1	.1

The monitoring data in the table above is taken from monitoring point 18 in EPL 3584. During this period no manure or effluent was applied, therefore no testing is required. The monitoring point has been established to monitor the soil on which captured runoff water is applied. The monitoring point is located within in the Reid's Offsite Irrigation. The monitoring point consists of surface soil (0-30cm), sub surface soil (30-60cm) and sub soil (60-90cm) samples.

EPA Monitoring point 4: Summary of results for groundwater bore P1 (bore was dry at time of sample collection therefore no sample was obtained).

81		Ç	No of times	·	•		J	•	·
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Conductivity	$(\mu S/cm)$	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrate	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
pН	pН	6 Monthly	0						
	_			31.01.19	NA	NA	NA	NA	04.02.19
Orthophosphate	(mg/L)	6 Monthly	0						
		<u> </u>		31.01.19	NA	NA	NA	NA	04.02.19
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 5: Summary of results for groundwater bore P2 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Conductivity	(µS/cm)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrate	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
pН	pН	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Orthophosphate	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 6: Summary of results for groundwater bore P3 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrogen (Ammonia)	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Conductivity	$(\mu S/cm)$	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrate	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
pН	pН	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Orthophosphate	(mg/L)	6 Monthly	0						
				31.01.19	NA	NA	NA	NA	04.02.19
Standing Water level	(m)	6 Monthly	0						

EPA Monitoring point 7: Summary of results for groundwater bore P4 (bore was dry at time of sample collection therefore no sample was obtained).

			No of times						
	Units of	Monitoring frequency	measured during	Date of	Date data	Minimum	Maximum	Mean	Date
Pollutant	measure	required by licence	year	Sampling	obtained	Value	Value	Value	Published
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrogen (Ammonia)	(mg/L)	6 Monthly	1						
-	_			31.01.19	NA	NA	NA	NA	04.02.19
Conductivity	(µS/cm)	6 Monthly	1						
				31.01.19	NA	NA	NA	NA	04.02.19
Nitrate	(mg/L)	6 Monthly	1						
				31.01.19	NA	NA	NA	NA	04.02.19
рН	pН	6 Monthly	1						
				31.01.19	NA	NA	NA	NA	04.02.19
Orthophosphate	(mg/L)	6 Monthly	1						
				31.01.19	NA	NA	NA	NA	04.02.19
Standing Water level	(m)	6 Monthly	1						

Ground water monitoring for EPA monitoring points 4, 5, 6 and 7 is completed to assess for any impacts to groundwater from irrigation and manure application processes on site. Along with the soil monitoring data, it is used to confirm that there are no cumulative impacts being caused by site processes.

Surface water monitoring for EPA monitoring points 8, 9 and 10 is completed to assess the quality of the water used for irrigation on site. Along with the soil monitoring data, it is used to confirm that there are no cumulative impacts being caused by site processes.

EPA Monitoring point 8: Summary of results for Holding Pond 1 (pond was dry at time of sample collection therefore no sample was obtained).

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				31.01.19	NA	NA	04.02.19
Ammonia	(mg/L)	Annual	1				
				31.01.19	NA	NA	04.02.19
Conductivity	(µS/cm)	Annual	1				
				31.01.19	NA	NA	04.02.19
Nitrogen (total)	(mg/L)	Annual	1				
				31.01.19	NA	NA	04.02.19
рН	pН	Annual	1				
				31.01.19	NA	NA	04.02.19
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 9: Summary of results for Holding Pond 2 (pond was dry at time of sample collection therefore no sample was obtained).

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				31.01.19	NA	NA	04.02.19
Ammonia	(mg/L)	Annual	1				
	_			31.01.19	NA	NA	04.02.19
Conductivity	(µS/cm)	Annual	1				
				31.01.19	NA	NA	04.02.19
Nitrogen (total)	(mg/L)	Annual	1				
				31.01.19	NA	NA	04.02.19
pН	pН	Annual	1				
	-			31.01.19	NA	NA	04.02.19
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 10: Summary of results for Tail water (pond was dry at time of sample collection therefore no sample was obtained).

Pollutant	Units of measure	Monitoring frequency required by licence	No of times measured during year	Date of Sampling	Date data obtained	Result (units)	Date Published
				31.01.19	NA	NA	04.02.19
Ammonia	(mg/L)	Annual	1				
	_			31.01.19	NA	NA	04.02.19
Conductivity	(µS/cm)	Annual	1				
				31.01.19	NA	NA	04.02.19
Nitrogen (total)	(mg/L)	Annual	1				
				31.01.19	NA	NA	04.02.19
pН	pН	Annual	1				
				31.01.19	NA	NA	04.02.19
Phosphorus (total)	(mg/L)	Annual	1				

EPA Monitoring point 1: Summary of manure and effluent applied to South Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Do	ate of Sampling	Value
		104 0 0 0	NA	NA	
3.6 11 1	(minimum	. 1			
Manure applied	Tonnes)	Annual			
	(maximum		NA	NA	
Manure applied	Tonnes)	Annual			
			NA	NA	
Manure applied	(average Tonnes)	Annual			
Number of days			NA	NA	
manure applied	Days	Annual			
			NA	NA	
Effluent applied	(minimum ML)	Annual			
			NA	NA	
Effluent applied	(maximum ML)	Annual			
•	,		NA	NA	
Effluent applied	(average ML)	Annual			
Number of days			NA	NA	
effluent applied	Days	Annual			

Monitoring of the volumes and number of days of manure and effluent applied to different paddocks on site, is completed to track the volume of nutrients applied to the land to ensure that activities are completed in compliance with the nutrient and water balance prepared for the site. This is the case for all paddocks on site.

EPA Monitoring Point 2: Summary of manure and effluent applied to West Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 3: Summary of manure and effluent applied to North/West Shed Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 11: Summary of manure and effluent applied to Old East Irrigation Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	•		NA	NA
Manure applied	(minimum Tonnes)	Annual		
•			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 12: Summary of manure and effluent applied to Front Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 13: Summary of manure and effluent applied to PBO Paddock

D. W		Monitoring frequency	Date of		
Pollutant	Units of measure	required by licence	Sampling	0	
			NA	NA	
Manure applied	(minimum Tonnes)	Annual			
			NA	NA	
Manure applied	(maximum Tonnes)	Annual			
			NA	NA	
Manure applied	(average Tonnes)	Annual			
Number of days manure			NA	NA	
applied	Days	Annual			
			NA	NA	
Effluent applied	(minimum ML)	Annual			
			NA	NA	
Effluent applied	(maximum ML)	Annual			
			NA	NA	
Effluent applied	(average ML)	Annual			
Number of days effluent			NA	NA	
applied	Days	Annual			

EPA Monitoring point 14: Summary of manure and effluent applied to South East Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring Point 15: Summary of manure and effluent applied to East Lot Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	V	· ·	NA	NA
Manure applied	(minimum Tonnes)	Annual		
**			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring Point 16: Summary of manure and effluent applied to North Lot Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
			NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

EPA Monitoring point 17: Summary of manure and effluent applied to North Stock Paddock

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
	J	1 ,	NA	NA
Manure applied	(minimum Tonnes)	Annual		
**			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		


EPA Monitoring point 18: Summary of manure and effluent applied to Reid's Offsite Irrigation

Pollutant	Units of measure	Monitoring frequency required by licence	Date of Sampling	Value
		•	NA	NA
Manure applied	(minimum Tonnes)	Annual		
			NA	NA
Manure applied	(maximum Tonnes)	Annual		
			NA	NA
Manure applied	(average Tonnes)	Annual		
Number of days manure			NA	NA
applied	Days	Annual		
			NA	NA
Effluent applied	(minimum ML)	Annual		
			NA	NA
Effluent applied	(maximum ML)	Annual		
			NA	NA
Effluent applied	(average ML)	Annual		
Number of days effluent			NA	NA
applied	Days	Annual		

Locations of all monitoring points are shown in the *Figure 1* below.

PLAN OF JINDALEE FEEDLOT SPRINGDALE NSW

REDUCTION RATIO 1.20000



Correction Log

This section is included to correct any incorrect data which may have been published in good faith.

Teys Australia Southern Property Pty Ltd T/A Teys Australia Jindalee EPL number 3584 Pollutant:

Table 4: Correction log

Sample date and time	Original data	Corrected data	Date corrected	Date originally published	Reason

Note: No corrections required to date.

Modification Log

This section is included to detail any changes to the template due to changes to the licence

Teys Australia Southern Property Pty Ltd T/A Teys Australia Jindalee EPL number 3584

Table 5: Modification Log

Date of Modification	Modification Made	Modification Made By	Modification Approved By
27 November 2012	Update Monitoring Table to include Point 18 "Reids Offsite Irrigation" for soil monitoring and effluent and manure application	Wendy Denning	Charles Hollingworth
27 November 2012	Update figure 1 "Plan of Jindalee Feedlot" to include Monitoring Point 18 "Reids Offsite Irrigation"	Wendy Denning	Charles Hollingworth
15 March 2013	Update Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 to include 2 sub samples as frequency, and include the minimum, maximum and mean value to reflect license 3584	Wendy Denning	Shane Bullock
15 March 2013	Update Frequency Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 from 'annual' to 'annual X 2 sub samples'	Wendy Denning	Shane Bullock
15 March 2013	Added to the comment below Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 'The monitoring point consists of top soil and sub soil.'	Wendy Denning	Shane Bullock
29 June 2016	Added the comment below Monitoring Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock

29 June 2016	Added the comment above Monitoring Tables 4, 5, 6, 7, 8 & 10 (bore was dry at time of sample collection therefore no sample was obtained).'	Jayne Newcombe	Shane Bullock
29 June 2016	Added the comment below Monitoring Table 1, page 18 'During this period no manure or effluent was applied to any paddock, therefore no testing is required.'	Jayne Newcombe	Shane Bullock
29 June 2016	Amended the comment below Monitoring Table Tables 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18 from 'has been taken' to 'is taken'.	Jayne Newcombe	Shane Bullock
07 March 2017	Amended table for EPA points 8, 9 & 10 to reflect one result.	Jayne Newcombe	Shane Bullock
07 March 2017	Amended table for EPA points 1, 2, 3, 11, 12, 13, 14, 15, 16, 17 & 18.	Jayne Newcombe	Shane Bullock
26 February 2018	Added the comment below Monitoring Table 16, page 10 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock
26 February 2018	Removed the comment below Monitoring Table 17, page 11 'During this period no manure or effluent was applied, therefore no testing is required'	Jayne Newcombe	Shane Bullock
04 February 2019	Updated comments to reflect where there were no samples collected.	Jayne Newcombe	Shane Bullock